Wednesday, 2/20/2008 4:17:58 PM Date Kim Johnston **Process Sheet** : BASKET LID ASSEMBLY : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 37513B : 10207 Estimate Number : D2989043 Part Number P.O. Number · D2989 UNDER BEVAEW S.O. No. : **Drawing Number** : 2/20/2008 This Issue : N/A : NC Project Number Prsht Rev. : B : // : LARGE FAB ASSY **Drawing Revision** First Issue Type : 37512B Material Previous Run Each : 3/15/2008 Qty: 1 Um: Due Date Written By Checked & Approved By JLM 05-11-03 : Est Rev: Comment Removed D2989-041 Additional Product Job Number: Description: Machine Or Operation: Seq. #: 1.0 D31821 Hinge Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: Description Batch Qty Part number Hinge 1526483 D3182-1 Shim 2.0 D34423 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Comment: Qty.: Pick: Description Batch Qtv Part number Shim 137160 D3442-3 3.0 M304EX07516F Expanded Metal Flat Stai Comment: Qty.: Total: 8.0000 sf(s)8.0000 sf(s)/Unit Pick: Qty Part number Description Batch m 107511 8sf M304EX0.75-16F Expanded Metal 4.0 M304TS0750W065 0.065" PH 03.02.21 Comment: Qty.: 17.6400 f(s) 45 f(s) Total: 17.6400 f(s) 3/4" x 3/4" x 0.083" wall 304/316 SStubing. Batch: M 10 75/1

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspecto		
		· · · · · · · · · · · · · · · · · · ·			_				
Part No	=	PAR #: Fault Category:	NCR: Ye	s No DC	A:	Date: _			
			QA	: N/C Close	ed:	Date: _			
NCR:		WORK ORDER NON	-CONFORMANCE (N	CR)					

NCR:			WORK ORDI	ER NON-CONFORMAN	CE (NCR))				
		Description of NC	tion of NC Corrective Action Section B	Verification	Approval	Approval				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector		

NOTE: Date & initial all entries

Wednesday, 2/20/2008 4:17:58 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: BASKET LID ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 37513B Part Number: D2989043 Job Number: Description: Seq. #: Machine Or Operation: LARGE FABRICATION RESOURCE 1 LARGE FAB 1 5.0 Comment: LARGE FABRICATION RESOURCE 1 1-Cut (4) D2236-1 From D3166-3 As Per Dwg D2989 Note: D2989-3/-4 On -041 Bom 2-Drill holes in tubing as D2989-043 per Dwg D2989 3-Deburr and remove all markings on material 4-Weld as per Dwg D2989 and D2989-043 Assembly using Welding Table and corner Jig. Deburr as required Note: Expanded metal "diamonds" must run lengthwise. Eg 2.0" along length of lid VISUAL WELDING INSPECTION 6.0 QC9 Comment: VISUAL WELDING INSPECTION DIMENSIONAL CHECK 7.0 QC6 Comment: DIMENSIONAL CHECK POWDER COATING POWDER COATING 8.0 Comment: POWDER COATING 1-Powder Coat White (Ref. 4.3.5.2) D2989-041 as per QSI 005 4.3 & Dwg D2989 9.0 QC3 Comment: Inspect Powder Coat FINAL INSPECTION/W/O RELEASE 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE

Job Completion

Dart Aerospace Ltd

DaitAc	Ospace L	tu .							
W/O:			WORK ORDER (CHANGES					
DATE	STEP	PROCE	EDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspecto
-						· · · · · · · · · · · · · · · · · · ·			
		· · · · · · · · · · · · · · · · · · ·							
Part No	•	PAR #:	Fault Category:	NCR	: Yes	No DQ	۸:	_ Date: _	.
					QA: N	I/C Closed	l:	_ Date: _	
NCR:		WC	ORK ORDER NON-CON	FORMANCE	(NCF	₹)			
DATE	CTED	Description of NC	Corrective Action	1 Section B		Verific	ation	Approval	Approval

NCR:			WORK ORDI	ER NON-CONFORMAN	SE (NCR))					
		Description of NC	ion of NC Corrective Action Section B		Verification	Ammanual	A				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			

NOTE: Date & initial all entries



DESIG	DESIGN DRAWN BY DS PH		DART AEROSPACE HAWKESBURY, ONTARIO, CANAL	
CHEC	CHECKED APPROVED		DRAWING NO.	REV. B
	-M	M	D2989	SHEET 1 OF 3
DATE			TITLE .	SCALE
05.06.07			BASKET LID ASSEMBLY	NTS
Α		00.10.27	NEW ISSUE	
В		05.06.07	ADD SHIM UNDER HINGES, UPDA DIMENSIONS	TE LID

RELEASED

PARTS LIST:

				UBING TO U.065
Qty -041	Qty -043	Part Number	Description	USENCE TO U.065 WHILL PAS
Х		D2989-041	BASKET LID ASSEMBLY (OUTSIDE)	03.0.
	Х	D2989-043	BASKET LID ASSEMBLY (INSIDE)	
		D0000 4	CTDLIT	
	1	D2989-1	STRUT	
	1 1	D2989-2	STRUT	
	1	D2989-3	STRUT	
	1	D2989-4	STRUT	
	2	D2989-5	STRUT	
	2	D2989-7	STRUT	
1		D2989-9	STRUT	
1		D2989-10	STRUT	_
1		D2989-11	STRUT	
1		D2989-12	STRUT	
2		D2989-13	STRUT	
2		D2989-15	STRUT	
				OP COPY
2		D2327-3	SPACER BUSINING	TINN IO
1		D2506	LABEL PLATE	OR EERING
2	2	D2989-17	STRUT (96.00" LONG)	TO AMENDMENT
2		D2989-19	STRUT (31.19" LONG) UNCON	TROLLED CONTINUENT TO AMENDMENT
1		D2512-7	STRUT SUBJEC	TTO ASSESSED TO THE OFFICE TO SERVICE TO SER
2		D2581	MOUNTING BRACKET	ONDER 12
***************************************	2	D3182-1	HINGE	NO NOTICE
	2	D3442-3	SHIM NO.	2-1-

NOTES:

0.065 14 01.03/21

1) FRAME MATERIAL: AISI 304/316 SS, 3/4 x 3/4 x 0.060 WALL SQUARE TUBING D2989-3/4/5/11/12/13 CAN BE MADE FROM D2236

2) MESH MATERIAL: 3/4-16F EXPANDED SS (REF DART SPEC M304EX0.75-16F)

3) WELD PER DART QSI 004

4) FINISH: POWDER COAT WHITE (REF. 4.3.5.2) PER DART QSI 005 4.3.

BLACK ANTI-SKID PAINT AS INDICATED PER DART QSI 005 4.4. SPRAY PAINT

INSIDE SURFACE BLACK PRIOR TO APPLYING ANTI-SKID.

5) ALL DIMENSIONS ARE IN INCHES

5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 2000 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



